

MATERIAL SAFETY DATA SHEET

PRECISION LABORATORIES



Updated: July 28, 2011
Page 1 of 3

Product Name: INCIDE-OUT™ - Spray Tank Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Incide-Out**
Supplier: **PRECISION LABORATORIES**
1429 S. SHIELDS DRIVE
WAUKEGAN, IL 60085

Emergency telephone number: (Chemtrec Information 24 hours) (800) 424-9300
For MSDS, Product Safety, or Regulatory inquiries, call: (847) 596-3001
Customer Service, call: (800) 323-6280


2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>% By Wt.</u>
Potassium Hydroxide	1310-58-3	N/E	2 ppm (TWA); 2 ppm (STEL)	10–15%
Triethanolamine	102-71-6	N/E	5mg/m ³ (TWA)	1–5%
Nonionic Surfactant	9016-45-9	N/E	N/E	1–5%
Ammonium Hydroxide	1336-21-6	N/E	25 ppm (TWA); 35 ppm (STEL)	<3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: CORROSIVE MATERIAL UN 3266

NFPA Hazard Rating:



Primary Routes of Exposure:

Eyes: **Yes**

Skin: **Yes**

Oral: **Yes**

Inhalation: **Yes**

Signs and Symptoms of Exposure:

Eye contact: Contact with eyes may cause severe burns, permanent damage and possibly blindness.

Skin contact: Contact with skin may cause severe irritation with pain, severe redness and swelling with chemical burns and possible tissue destruction.

Inhalation: Harmful or fatal if swallowed — causes severe burns of mouth, throat and stomach.

Ingestion: Aspiration into lungs may occur during ingestion or vomiting, resulting in lung injury.

4. FIRST AID MEASURES

FIRST AID MEASURES FOR ACCIDENTAL EXPOSURE

Eye Exposure: Check for and remove contact lenses. Immediately flush eyes with water for at least 15 minutes. Cold water may be used. Seek immediate medical attention.

Skin Exposure: Wash affected area with plenty of soap and water. Cold water may be used. If irritation persists seek medical attention.

Inhalation: If vapors or mists cause irritation, move individual to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek immediate medical attention.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give fluids or force vomiting if the person is unconscious, is having convulsions or has no gag reflex. If swallowed, drink egg whites, gelatin solution or, if these are not available, large quantities of water. Avoid alcohol. Seek immediate medical attention.

Signs and Symptoms of Overexposure (chronic): Chronic local effect may consist of multiple areas of superficial destruction of the skin or of primary irritant

Medical Conditions Aggravated by Overexposure: Existing dermatitis.

MATERIAL SAFETY DATA SHEET

PRECISION LABORATORIES



Updated: July 28, 2011

Page 2 of 3

Product Name: INCIDE-OUT™ - Spray Tank Cleaner

5. FIRE-FIGHTING MEASURES

FIRE HAZARD DATA:

Flammability:	N/A	LEL:	N/A	UEL:	N/A
Auto-ignition temperature:	N/D				
Flash Point:	None to boiling.				
Extinguishing Media:	Product is noncombustible. Water spray, foam, CO ₂ , or dry chemicals may be used in areas where this product is stored.				
Special Fire Fighting Procedures:	Firefighters should wear NIOSH/OSHA approved self-contained breathing apparatus and full protective clothing.				
Additional Fire and Explosive Data:	None				

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Evacuate the spill area, except for cleanup personnel. Do not walk through or touch spill. Wear NIOSH/OSHA-approved respirator and protective equipment as referenced in Section 8 below. Control spill with adsorbent pads or booms. Recover free liquid. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Large spills may be flushed to sewer if local authorities approve such. Product is slippery under foot; flush smooth surfaces thoroughly. See Section 13 below for disposal considerations.

7. HANDLING AND STORAGE

Precautions to be Taken in Handling: Corrosive liquid. Do not get in eyes, on skin or on clothing. Keep away from heat, sparks and flame. Keep container closed. Safety goggles with full-face shield and eyewash recommended. USDA-accepted nitrile (CFR-20) or neoprene rubber (CFR-21) recommended. Wear appropriate protective clothing as referenced in Section 8 below to prevent repeated or prolonged skin contact. Use only with adequate mechanical exhaust ventilation. To avoid fire minimize ignition sources.

Precautions to be Taken in Storage: Product should be stored in a dry place with temperatures above 30°F. Partially used containers should be resealed between uses for maximum storage stability.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

Eye Protection: Wear splash-proof chemical safety goggles and face shield. Contact lenses should not be worn when working with chemicals.

Skin Protection: Wear coveralls and boots and chemically impervious gloves to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work clothes, and shower.

Inhalation Protection: Protect against spray mists & dust clouds. Use respirator in areas of poor ventilation.

Other Protection: Eye wash fountains and drench showers should be located within 100 feet or a 10 second walk or the work area per ANSI Z358.1-1990.

Personal Protection in Case of Large Spill: Splash goggles. Full suit. Boots, gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance & Odor:	Clear, red colored liquid with ammonia odor.
Boiling Point:	212°F
pH:	14 ± 0.005
Solubility in Water:	Complete.

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable.
Incompatibility:	Strong acids, strong oxidizers.
Hazardous Decomposition Products:	Burning may produce oxides of carbon and other substances.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None.

11. TOXICOLOGICAL INFORMATION

No ingredients are suspected carcinogens.

12. ECOLOGICAL INFORMATION

No ecological data is available for this product.

MATERIAL SAFETY DATA SHEET

PRECISION LABORATORIES



Updated: July 28, 2011
Page 3 of 3

Product Name: INCIDE-OUT™ - Spray Tank Cleaner

13. DISPOSAL CONSIDERATIONS

Disposal Methods: Recycle or rework material if at all possible. Incinerate material at an approved facility. Treat at an acceptable waste treatment facility, or municipal waste treatment plant after proper testing and approval waste samples in compliance with applicable federal, state and local environmental regulations.

Container Reuse: An empty container can contain product residue, and should be not reused. If not professionally cleaned and reconditioned, crushing or other means is recommended to prevent unauthorized reuse.

14. TRANSPORT INFORMATION

DOT Status (Highway and rail): Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide), 8, UN3266, PGII

IATA Status (Air): N/E

15. REGULATORY INFORMATION

SARA HAZARD: Title III, Section 313: Contains no Section 313 listed substances subject to reporting.

AICS (Australia): Components listed

DSL (Canada): Components listed

EINECS (Europe): Components listed

TSCA: Components listed

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, INC. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

N/R—Not Rated

N/D—Not Determined

N/A—Not Applicable

N/E—Not Established