

# SAFETY DATA SHEET

PRECISION LABORATORIES, LLC

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

---

Product Name: **Border™ Xtra 8L**  
Supplier: PRECISION LABORATORIES, LLC  
1429 S. SHIELDS DRIVE  
WAUKEGAN, IL 60085  
Product Use: Drift Reduction Technology  
Emergency telephone number: (Chemtrec Information 24 hours) (800) 424-9300  
Customer Service, call: (847) 596-3001

---

## 2. HAZARDS IDENTIFICATION

---

### GHS Classification:

Eye Irritation, Category 2B, H320

**Signal Word:** Warning

### Hazard Statements:

H320: Causes eye irritation.

### Precautionary Statements:

#### Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash protective equipment and work clothes thoroughly after handling.

#### Response

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

| <u>Component</u> | <u>CAS Number</u> | <u>Weight %</u> |
|------------------|-------------------|-----------------|
| Ammonium sulfate | 7783-20-2         | 25-35           |
| Surfactants      | Proprietary       | 3-10            |
| Methyl alcohol   | 67-56-1           | <3              |

---

## 4. FIRST AID MEASURES

---

**IF SWALLOWED:** Call POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any fluids to an unconscious person. Treat symptomatically.

**IF ON SKIN:** Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical advice or attention. Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

**IF INHALED:** Move person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**IF EXPOSED OR CONCERNED:** Call a POISON CENTER/doctor or Chemtrec.

**Medical Conditions Aggravated by Overexposure:** Repeated or prolonged exposure is not known to aggravate medical condition.

**Other Effects:** This product is not a carcinogen by NTP, OSHA and ACGIH.

# SAFETY DATA SHEET

PRECISION LABORATORIES, LLC

---

## 5. FIREFIGHTING MEASURES

---

Suitable Extinguishing media: Water spray, foam, CO<sub>2</sub> or dry chemicals may be used in areas where product is stored.

Specific Hazards: Burning may produce oxides of nitrogen and carbon and other hazardous substances.

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

In Case of Spill: Stop the flow of material, if this is without risk. Wear protective equipment as referenced in Section 8. Recover free liquid. Control spill with adsorbent pads or booms. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Product is slippery under foot; flush smooth surfaces thoroughly.

Disposal: Product is slippery under foot; flush smooth surfaces thoroughly. Dispose of collected waste in accordance with federal, state and local regulations. See Section 13 for disposal considerations.

---

## 7. HANDLING AND STORAGE

---

**Precautions to be Taken in Handling:** Keep container sealed when not in use. Safety goggles and eyewash recommended. USDA-accepted nitrile (CFR-20) or neoprene rubber (CFR-21) recommended. Wear appropriate clothing to prevent repeated or prolonged skin contact.

**Precautions to be Taken in Storage:** Product should be stored in a dry place. Do not store together with food, beverage and animal feed.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Component Exposure Limits: Methyl alcohol (67-56-1)  
ACGIH: 200 ppm TWA  
250 ppm STEL  
Skin - potential significant contribution to overall exposure by the cutaneous route  
OSHA: 200 ppm TWA; 260 mg/m<sup>3</sup> TWA  
250 ppm STEL; 325 mg/m<sup>3</sup> STEL  
Prevent or reduce skin absorption  
NIOSH: 200 ppm TWA; 260 mg/m<sup>3</sup> TWA  
250 ppm STEL; 325 mg/m<sup>3</sup> STEL  
Potential for dermal absorption

Note: When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

Eye/Face Protections: Wear splash-proof chemical safety goggles. Contact lenses should not be worn when working with chemicals.

Skin Protection: Wear chemical-resistant gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work clothes, and shower.

Respiratory Protection: Not required under normal use conditions with good ventilation. Protect against spray mists.

General Protection: Eye wash fountains and drench showers should be located within a 10 second walk from the work area per ANSI Z358.1-2009.

# SAFETY DATA SHEET

PRECISION LABORATORIES, LLC

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                   |                      |                            |                      |
|-------------------|----------------------|----------------------------|----------------------|
| Appearance:       | Blue, viscous liquid | UEL:                       | N/D                  |
| Odor:             | Characteristic odor  | LEL:                       | N/D                  |
| Odor Threshold:   | N/D                  | Vapor Pressure:            | N/D                  |
| pH:               | 6.7 ± 0.5            | Vapor Density:             | N/D                  |
| Melting Point:    | N/D                  | Relative Density (lbs/gl): | 9.99 ± 0.09          |
| Freezing Point:   | N/D                  | Solubility:                | Dispersible in water |
| Boiling Point:    | >212°F               | Partition Coefficient:     | N/D                  |
| Flash Point:      | None                 | Autoignition Temperature:  | N/D                  |
| Evaporation Rate: | N/D                  | Decomposition Temperature: | N/D                  |
| Flammability:     | Noncombustible       | Viscosity                  | 2,068 cps            |

## 10. STABILITY AND REACTIVITY

|                                     |  |
|-------------------------------------|--|
| Stability:                          | Stable   |
| Possibility of Hazardous Reactions: | Hazardous polymerization will not occur.   |
| Condition to Avoid:                 | Store within recommended temperature range (see Section 7 above).                          |
| Incompatible Materials:             | Strong bases, oxidizers, chlorates, nitrates.  |
| Hazardous Decomposition Products:   | Burning may produce ammonia, oxides of nitrogen and carbon and other hazardous substances. |

## 11. TOXICOLOGICAL INFORMATION

|                               |  |
|-------------------------------|--|
| Acute Oral Toxicity:          | LD50 > 5,000 mg/kg (albino rats)   |
| Acute Eye Irritation:         | Minimally irritating (albino rabbits)  |
| Acute Dermal Irritation:      | Non-irritating (albino rabbits)  |
| Acute Dermal Toxicity:        | LD50 > 5,050 mg/kg (albino rats)   |
| Acute Inhalation:             | It is considered that Border Xtra 8L, due to its physical nature, cannot be aerosolized at an exposure concentration high enough to provide meaningful acute inhalation toxicity data (Acute Inhalation Toxicity in Rats, Study ID 16366-12, performed by Stillmeadow Laboratory, Sugar Land, TX). |
| Component Analysis—LD50/LC50: | Ammonium sulfate (7783-20-2): Oral LD50 Rat 2,000 mg/kg<br>Methyl alcohol (67-56-1): Inhalation LC50 Rat 83.2 mg/L 4 h; Inhalation LC50 Rat 64,000 ppm 4 h; Oral LD50 Rat 5,628 mg/kg; Dermal LD50 Rabbit 15,800 mg/kg   |
| Component Carcinogenicity:    | None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP   |

## 12. ECOLOGICAL INFORMATION

### Component Analysis - Ecotoxicity - Aquatic Toxicity

#### Ammonium sulfate (7783-20-2)

##### Test & Species

|                                       |                               |
|---------------------------------------|-------------------------------|
| 96 Hr LC50 <i>Leuciscus idus</i>      | 460 - 1000 mg/L [static]      |
| 96 Hr LC50 <i>Brachydanio rerio</i>   | 250 mg/L                      |
| 96 Hr LC50 <i>Brachydanio rerio</i>   | 480 mg/L [flow-through]       |
| 96 Hr LC50 <i>Brachydanio rerio</i>   | 420 mg/L [semi-static]        |
| 96 Hr LC50 <i>Cyprinus carpio</i>     | 18 mg/L                       |
| 96 Hr LC50 <i>Pimephales promelas</i> | >100 mg/L                     |
| 96 Hr LC50 <i>Oncorhynchus mykiss</i> | 32.2-41.9 mg/L [flow-through] |

# SAFETY DATA SHEET

PRECISION LABORATORIES, LLC

|                                |                            |
|--------------------------------|----------------------------|
| 96 Hr LC50 Oncorhynchus mykiss | 5.2-8.2 mg/L [static]      |
| 96 Hr LC50 Poecilia reticulata | 123-128 mg/L [semi-static] |
| 96 Hr LC50 Poecilia reticulata | 126 mg/L                   |
| 24 Hr EC50 Daphnia magna       | 423 mg/L                   |
| 48 Hr LC50 Daphnia magna       | 14 mg/L                    |

## Methyl alcohol (67-56-1)

### Test & Species

|                                |                                   |
|--------------------------------|-----------------------------------|
| 96 Hr LC50 Pimephales promelas | 28200 mg/L [flow-through]         |
| 96 Hr LC50 Pimephales promelas | >100 mg/L [static]                |
| 96 Hr LC50 Oncorhynchus mykiss | 19500 - 20700 mg/L [flow-through] |
| 96 Hr LC50 Oncorhynchus mykiss | 18 - 20 mL/L [static]             |
| 96 Hr LC50 Lepomis macrochirus | 13500 - 17600 mg/L [flow-through] |

---

## 13. DISPOSAL CONSIDERATIONS

---

Component Waste Numbers: Methyl alcohol (67-56-1)

Disposal Instructions: Recycle or rework material if at all possible. Treat at an acceptable waste treatment facility or municipal waste treatment plant after proper testing and approval of waste samples in compliance with applicable federal, state and local environmental regulations.

Container Reuse: Do not reuse empty container as it may contain product residue. Rinse container thoroughly prior to disposal. Dispose of rinsate and container in accordance with local, state and federal regulations.

---

## 14. TRANSPORT INFORMATION

---

DOT Status (Highway and rail): Not Regulated

IATA Status (Air): N/D

Marine Pollutant: No

---

## 15. REGULATORY INFORMATION

---

SARA HAZARD: This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

Methyl alcohol (67-56-1)

SARA 313: 1.0 % de minimis concentration

CERCLA: 5,000-lb final RQ; 2,270-kg final RQ

California Prop 65: WARNING: This product contains a chemical known in the State of California to cause cancer.

Ethylene oxide

1,4-Dioxane

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ethylene oxide

Methanol

State: The following components appear on one or more of the following state hazardous substances lists:

| Component        | CAS       | CA  | MA  | MN  | NJ  | PA  | RI |
|------------------|-----------|-----|-----|-----|-----|-----|----|
| Ammonium sulfate | 7783-20-2 | No  | Yes | No  | No  | Yes | No |
| Methyl alcohol   | 67-56-1   | Yes | Yes | Yes | Yes | Yes | No |

WHMIS: The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

| Component        | CAS #     | Minimum Concentration |
|------------------|-----------|-----------------------|
| Ammonium sulfate | 7783-20-2 | 1 %                   |
| Methyl alcohol   | 67-56-1   | 1 %                   |

# SAFETY DATA SHEET


PRECISION LABORATORIES, LLC

## 16. OTHER INFORMATION

HMIS Hazard Rating

|                     |   |
|---------------------|---|
| HEALTH              | 2 |
| FLAMMABILITY        | 0 |
| REACTIVITY          | 0 |
| PERSONAL PROTECTION | X |

NFPA Rating



Last Updated: June 29, 2017

**WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.**

N/R—Not Rated

N/D—Not Determined

N/A—Not Applicable

N/E—Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.