

DOMINO™

IRRIGATION INJECTION SURFACTANT

CONTAINS NONPLANT FOOD INGREDIENTS

ACTIVE INGREDIENTS:

87.3% Ethylene oxide-propylene oxide copolymer

INERT INGREDIENTS:

12.7% water, ethoxylated alcohols, alkyl aryl sulfonate salts and docusate sodium

100.0% TOTAL

All ingredients are approved for use under 40 CFR 180


KEEP OUT OF REACH OF CHILDREN WARNING



PRECAUTIONARY STATEMENTS

Causes serious eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Applicators or handlers of this product must wear chemically impervious gloves, long-sleeved shirt, pants, socks, shoes and protective eyewear. Consult the SDS for further information.

FIRST AID

If Swallowed: Rinse mouth. Have person sip a glass of water if able to swallow. Do NOT induce vomiting, unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If Inhaled: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin: Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical advice or attention.

GENERAL INFORMATION

DOMINO improves the movement of irrigation water into and throughout the plant root zone. DOMINO makes water available to the crop over time, enhancing the growing environment for the targeted crop.

DIRECTIONS FOR USE

Always apply DOMINO in accordance with label instructions. Follow the application guidelines below.

APPLICATION TECHNIQUES

IRRIGATION INJECTION: Apply through an irrigation system utilizing drip tubes, tape, micro emitters or overhead sprinklers. Do not apply DOMINO through earthen ditches. Prior to mixing DOMINO with water conditioners or plant nutrients, perform a jar

test to test compatibility. Agitation is recommended in fertigation tanks to ensure uniform injection of nutrients and DOMINO. Always use back-flow prevention when injecting DOMINO or other injectable products.

SPRAY APPLICATION: On annual crops, apply DOMINO alone or in combination with nutrients, prior to planting. On perennial crops, direct the spray to the soil surface at the base of the plant. Irrigate immediately after all spray applications to move product into the soil.

NOTICE: DO NOT MAKE A SPRAY APPLICATION OF DOMINO TO THE FOLIAGE OF ANNUAL OR PERENNIAL CROPS AS PLANT INJURY MAY OCCUR.

USE RATES

Initial Application: Apply DOMINO at the rate of 1 quart per acre (2.34 liters per hectare).

Subsequent Applications: Apply DOMINO at the rate of 1 pint per acre (1.17 liters per hectare) or increase to meet the needs of the crop, based on environmental conditions.

APPLICATION INTERVAL

Apply DOMINO every 3 to 4 weeks. The time between applications may vary by crop, soil type or crop response to environmental conditions. The use of a soil tensiometer is encouraged to determine the required irrigation interval.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

STORAGE AND DISPOSAL

Protect product from freezing. If product freezes, warm to room temperature before use. Store in original container only and do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

CONDITIONS OF SALE

Read the information contained herein before buying or using this product. If the stated terms are unacceptable, return the product at once, unopened. It is critical that this product be used and mixed only as specified on this label. Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, with respect to the results from the use of this material. Buyer and user assume all risks of use and/or handling. Precision Laboratories, LLC warrants that this material is reasonably fit for use as specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond Precision's control prevent elimination of risks in connection with the use of its chemicals. Such risks include, but are not limited to, damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated hereon and even though label directions are followed. Follow directions carefully. Timing, mixture, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of the Company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the product involved.

S P E C I M E N L A B E L